


CONTI+ Range

Showers & Washroom Solutions





CONTI+ showers



- Shower series CONPRIMUS**
- Advanced shower panel depth 4 cm
 - Electronic / DN15
 - E-Control: start/stop function
 - Thermostat-E: fully electronic mixer
 - Minimal water column (patented)
 - Separate sanitary rinses
 - Stainless steel



- Shower series CONGENIAL**
- Shower panels & showers, concealed
 - Electronic / mechanical / DN15
 - Piezo pushbutton / oil hydraulics / water hydraulics / on-off handle
 - CONGENIAL water inlet
 - Fixed copper pipework to shower outlet
 - Stainless steel / acrylic composite / chrome plated stainless steel



- Shower series CONFRESH**
- Shower panels with integrated fresh water module
 - Electronic / DN15
 - Piezo pushbutton
 - Plate heat exchanger
 - CONGENIAL water inlet
 - Stainless steel



- Shower series CONSMART**
- Shower panels
 - Electronic / DN15
 - Piezo pushbutton
 - CONSMART water inlet
 - Flexible hoses
 - Stainless steel / acrylic composite
 - APP / CNX Upgrade possible



- Shower system CONCASH 2.0**
- Shower panels & showers, concealed
 - Electronic / DN15
 - Piezo pushbutton/coin and card validators
 - CONGENIAL water inlet
 - Paid water delivery
 - Stainless steel/acrylic composite
 - APP / CNX Upgrade possible



- Shower series CONFREE**
- Freestanding showers
 - Electronic / DN15
 - Piezo pushbutton
 - CONFREE water inlet
 - Outdoor used
 - Stainless steel



- Shower system CONBASE (SLIM)**
- Shower panels & showers, exposed
 - Electronic / DN15
 - Piezo pushbutton
 - CONBASE water inlet
 - 6 V/DC ROBUST solenoid valve
 - Brushed stainless steel



- Shower series CONFLOW**
- Concealed showers
 - Electronic, DN20
 - Piezo pushbutton
 - CONFLOW water inlet
 - With/without thermostat
 - Fully fitted kit
 - Stainless steel



- Shower series CONBASE**
- Concealed showers
 - Electronic / DN15
 - Piezo pushbutton
 - CONBASE water inlet
 - Without thermostat
 - Fully fitted kit
 - Stainless steel



- Shower series CONBASE**
- Concealed showers
 - Mechanical / DN15
 - Oil hydraulics
 - CONBASE water inlet
 - Without thermostat
 - Fully fitted kit
 - Stainless steel



- Shower series tipolino**
- Exposed showers
 - Electronic / DN15
 - Start/stop function
 - With thermostat
 - Outlet at the top or bottom
 - Chrome plated



- Shower series CONPRO**
- Exposed showers
 - Mechanical / DN15
 - Water hydraulics with upward outlet
 - On/off handle with downward outlet
 - With thermostat
 - Chrome plated



CONTI+ faucets



Washbasin faucets (ultra)

- Touch-free, electronically controlled
- With/without temperature control
- Stop valve included
- Battery, other models
- 3 heights, chrome plated, other colours



Washbasin faucets (lino/tipolino)

- Touch-free, electronically controlled or with electronic start/stop button
- With/without temperature control, non-pressurised
- With/without anti-scalding protection
- Battery, other models
- Chrome plated



lino AS upright washbasin faucet

- Touch-free, electronically controlled
- With temperature control/without waste set
- Thermostatic anti-scalding protection based on DIN EN 1111
- Fully automatic self-calibration
- Chrome plated



lino PRIMUS upright faucet L40

- Touch-free, electronically controlled
- Elec. anti-scalding protection (DIN EN 1111)
- Thermostat-E for temperature control in installation under the countertop
- Separate sanitary rinses with cold, mixed and hot water
- Chrome plated



Washbasin faucets (iQ)

- Touch-free, electronically controlled
- With/without temperature control, non-pressurised
- Dual infrared sensors
- Battery, other models
- Chrome plated



Washbasin faucets (maxx/umaxx)

- Touch-free, electronically controlled
- With/without temperature control
- IR sensor
- Without waste set
- Battery, other models
- Chrome plated




Washbasin faucets (loopino)

- Touch-free, electronically controlled
- With/without temperature control, non-pressurised
- Dual infrared sensors
- Battery, other models
- Chrome plated



Automatic shut-off faucet (lino SofTouch)

- Mechanical, hydraulically controlled
- Smooth actuation, independent of water pressure
- With/without temperature control
- CONTI+ automatic shut-off cartridge technology
- Stainless steel



Flush mounted wall faucet (lino)

- Touch-free, electronically controlled
- With/without temperature control
- "Temporary off" and "continuous on" functions
- Hot water lock
- Battery, other models
- Spout: 120/170/220 mm
- Chrome plated



Flush mounted wall faucet (ultra)

- touch-free, electronically controlled
- without temperature-mixing
- integrated shut-off valve (TwistStop)
- battery, solar, VARIOconnect
- energy saving function (solar)
- Chrome plated



Surface mounted wall faucet (CONBASE)

- Touch-free, electronically controlled
- Connection from above/behind
- Without temperature control, with IR sensor
- Cold or premixed water
- Battery, other models
- Spout: 165/290 mm
- Matt stainless steel



Flush mounted wall faucet (CONGENIAL FIT)

- Touch-free, electronically controlled
- IR sensor
- With temperature control/thermostat
- Battery, other models
- Angular/oval
- Spout: 170/220 mm
- Stainless steel/chrome plated


Additional colours, designs and models available – just ask us for more information.

Water management system

The innovative CNX water management system meets even the most demanding hygiene requirements – for excellent drinking water hygiene and correct operation of the whole system at all times.

As well as networking the proven CONTI+ shower faucets, the system also allows integration of the full range of CONTI+ washbasin and urinal faucets. Depending on the type of CNX controller, up to 64 or 150 faucets and devices can be centrally controlled using browser-based software. The systems cover a wide range extending to 350 metres. Networking is via simple cabling, or Bluetooth if required. The CNX water management system can also be linked to higher-level building management systems as needed – for integrated facility management.

The topology of the system allows straightforward networking of the faucets in a linear, star-delta or tree layout. There is therefore no need for either terminators or special BUS cables. The standard cables – routed in empty conduits or concealed – are quickly and easily connected to the waterproof single-wire terminals. Additional measures for shielding cables are not required.



Intuitive APP based control of individual faucets

Both new and existing drinking water installations need to meet numerous hygiene requirements – in Germany, for example, the German Drinking Water Ordinance (TrinkwV) 2018. With our CONTI+ Service APP, we offer an effective means to extend the necessary programming, logging and documentation of the required hygiene measures to the control units of the individual faucets.

The Service APP allows convenient management of CONTI+ shower panels, concealed showers, washbasin and urinal faucets. Thanks to the user friendly and intuitive interface, faucets can be identified and selected for very straightforward management, programming and data readings.

The APP guides users systematically and logically through all menu items and features so that they can program sanitary rinses, check and set water running times, optimise sensor ranges, save settings and usage data, and more. Used in conjunction with the BLE Converter, secure communication is established via Bluetooth® between the faucet and the required device (e.g. smartphone or tablet). All this can be done wirelessly, easily, intelligently and securely.



BLE Converter for Service APP

- For establishing the Bluetooth® connection between CONTI+ faucets and a mobile control unit such as a smartphone or tablet
- Smart faucet communication via the CONTI+ Service APP
- Displays & analysis for each faucet
- Fixed settings for each faucet
- Operating voltage: 6-12 V/DC



Bluetooth®
Wireless communication between Service APP and faucets via the BLE Converter



Intuitive operation
License management feature, software interface, analyses and graphics



Extensive services
Programming, logging and maintenance



CONTI+ urinals flush valves



Concealed urinal flush valves U10 (lino)

- Touch-free, electronically controlled
- Robust concealed urinal flush valve
- IR sensor
- Fully fitted kit
- Battery, mains, VARIOconnect
- Chrome panel / white windows
- White panel / white windows



Concealed urinal flush valves U18 (ultra)

- Touch-free, electronically controlled
- Dual infrared sensors
- Fully fitted kit
- Battery, mains, VARIOconnect
- Front panel: toughened glass, white
- Front panel: toughened glass, black
- Mounting frame, chrome



Concealed urinal flush valve U28 (iQ)

- Touch-free, electronically controlled
- Flush mounted without electrical wiring
- Dual infrared sensors
- Fully fitted kit
- Battery, mains, VARIOconnect
- Stable front panel: brushed stainless steel
- Mounting frame: chrome plated brass



Exposed urinal flush valve U60 (lino)

- Touch-free, electronically controlled
- Wall mounted without electrical wiring
- Robust brass housing, polished
- Dynamic IR sensor
- Stop valve with dirt filter and collar
- Chrome plated



CONTI+ washbasins



SteelTec (Lund)

- The round washbasin
- Drop-in washbasin, glued into place
- With overflow
- With overflow set
- Stainless steel on the inside
- High gloss polish on the outside



SteelTec (Malmoe)

- The oval washbasin
- Wall mounted
- Without faucet hole
- With overflow
- Matt stainless steel



SteelTec (Emden)

- The sculpted washbasin
- Wall mounted
- With integral soap tray
- With overflow set
- With faucet hole
- With plug and chain
- Matt stainless steel



SteelTec (Bergen)

- The deep & hygienic washbasin
- Wall mounted
- With washboard stamping at the front
- With integral hygienic edge
- Without faucet hole
- With overflow set
- Matt stainless steel



SteelTec (Fjord)

- The wash trough
- Wall mounted
- Seamlessly pressed
- Without overflow
- Without faucet hole
- Matt stainless steel




SteelTec laboratory sink (Visby)

- Wall mounted
- With overflow set
- With rear panel
- With drain plug and chain
- Matt stainless steel



Single and double washbasins

- Fixed measure
- Angular, semi-circular, round, oval basins
- Resin-bonded mineral casting/ mineral material
- White glossy / white matt



Customized washbasins

- Customized
- Single, double and row washbasins
- Angular, semi-circular, round, oval basins
- Resin-bonded mineral casting/ mineral material
- White glossy / white matt

CONTI+ Hygiene

For safe hand hygiene

With the comprehensive CONTI+ hygiene concept, we offer you a complete range for your building. Protect your customers, employees, colleagues and yourself, safe in the knowledge that you are in compliance with hygiene requirements.

CONTI+ soap and disinfectant dispensers are available in electronic (battery operated) and manual versions. They can be mounted directly on the wall or on a floor or tabletop stand (only electronic). Conveniently transportable, these dispensers are also ideal for businesses with high footfall.

Keep safe!

CONTI+ sanitary equipment



SteelTec DESIGN

- Soap and disinfectant dispenser
- Touch-free
- Battery operation, optional mains connection (or manual)
- Wall mounted or on a stand
- LED light to indicate operation
- Matt stainless steel and vandal-proof
- 950 ml capacity



BJÖRK electronic

- Soap and disinfectant dispenser
- Touch-free IR sensor
- Battery operation, optional mains connection (or manual)
- Wall mounted or on a stand
- LED light to indicate operation
- Matt black stainless steel housing
- Choice of 6 cover plates
- 950 ml capacity



Washbasin soap dispenser, short

- Soap dispenser for washbasin mounting
- Manual operation
- Tamper-proof dosing pump
- Liquid soap refilled from above
- Plastic refill container
- Chrome
- 500 ml capacity



SteelTec AE DESIGN

- Hand dryer
- Touch-free IR sensor
- With induction motor
- Adjustable activation distance
- Adjustable air speed
- Wall mounted
- Stainless steel



SteelTec TURBO DESIGN

- Hand dryer
- Touch-free IR sensor
- Powerful commutator motor
- Adjustable activation distance
- Adjustable air speed
- Wall mounted
- Matt stainless steel



BJÖRK

- Hand dryer
- Touch-free IR sensor
- Powerful commutator motor
- LED light to indicate operation
- Adjustable activation distance
- Adjustable air speed
- Matt black stainless steel housing



SteelTec DESIGN

- Waste and sanitary bin
- Self-closing swing lid
- Wall mounted
- Fully welded, rustproof inner bin
- Vandal-proof lock
- Matt stainless steel



BJÖRK

- Waste bin
- Wall mounted
- Lock and universal key
- Door that opens at the side
- Capacity: 18 litres



Wastepaper bin, wall mounted or floor standing

- For wall mounting with 3 drilling holes and lockable from above
- Floor standing with 4 rubber pads as feet
- Matt stainless steel



Additional colours, designs and models available – just ask us for more information.

CONTI+ sanitary equipment



SteelTec DESIGN

- Paper towel dispenser
- Wall mounted
- Vandal-proof lock
- Matt stainless steel
- Capacity: 400 sheets of 2-layer Z/C fold paper towels (max. 95x250 mm)



BJÖRK

- Paper towel dispenser for centre pull paper rolls
- One-handed operation
- Wall mounted
- Lock and universal key
- Matt black stainless steel housing
- Choice of 6 cover plates



Paper towel dispenser, washbasin

- For vertical or horizontal washbasin installation
- Paper issued from the front or above
- Capacity: approx. 500 folded towels
- Matt stainless steel



Paper towel dispenser, surface mounted

- For wall mounting, with 3 drilling holes
- Lockable from above
- Matt stainless steel



SteelTec DESIGN

- Sanitary bin
- Wall mounted
- With hygienic tip-up lid
- Fully welded, rustproof inner bin
- Vandal-proof lock
- Matt stainless steel
- Capacity: 7 litres



BJÖRK

- Sanitary bin
- Wall mounted
- With hinged lid
- Inner, spring-loaded bag holder
- Matt black stainless steel housing
- Capacity: 12 litres



Sanitary bin

- Wall mounted with 3 drilling holes
- With integrated compartment for sanitary bags
- With hinged lid
- Matt stainless steel



SteelTec DESIGN, 2 rolls

- Toilet paper holder
- 2 standard paper rolls
- Wall mounted
- Easy access when replacing paper rolls
- Matt stainless steel



SteelTec DESIGN

- Toilet paper holder
- Various roll configurations
- Wall mounted
- Vandal-proof lock
- Easy access when replacing paper rolls
- Matt stainless steel



BJÖRK, 2 standard rolls

- Toilet paper holder
- 2 standard paper rolls
- Wall mounted
- Powder coated stainless steel housing, matt black



BJÖRK, jumbo & 1 standard roll

- Toilet paper holder
- 1 jumbo and 1 standard paper roll
- Wall mounted
- Powder coated stainless steel housing, matt black



Toilet paper holder

- Toilet paper holder
- Free fillable with 1 large roll
- Wall mounted
- Roll stop function and fill level indicator
- Lockable
- Satin stainless steel

Reliable & innovative

For over 45 years, the CONTI+ brand has been recognised for flexible and holistic shower room and washroom solutions for public, semi-public and commercial environments as well as the health sector.

Known for its innovative technology and high grade materials, the brand has gained a reputation for unfailing quality. With a wide-ranging product portfolio and many years of experience creating custom designs, CONTI+ is now widely recognised among design engineers and architects for its valuable contribution to their projects. Every last detail is contemplated when developing tailor-made products, resulting in smart, individual solutions to suit a plethora of applications and equipment. The choice of shower and washbasin fittings encompasses a variety of colours and finishes as well as options for surface or flush mounting. Naturally sustainability, hygiene and reliability are prime considerations in the development of all products.

Thanks to its dependable quality and innovative technology, CONTI+ has remained a trusted brand throughout the world for over 45 years.

CONTI Sanitärarmaturen GmbH
 Hauptstraße 98
 35435 Wettenberg | Germany
 Tel. +49 641 98221 0
 Fax +49 641 98221 50
 info@conti.plus
 www.conti.plus

Member of Fortuna Group 



Certificates are product related and not valid in general